

**Table 2. Companies and hybrids included in the 2007 trials. A star (\*) indicates that the hybrid performed statistically similar to the highest hybrid for yield or performance index (P.I. or MILK2006) in one or more zones.**

Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables	Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables
		Co.	GRM	SRM	Trt.				Co.	GRM	SRM	Trt.	
AgVenture/Spangler AV5016	CB,CR,RR-GNJ	95	96	114	8	* Carharts Blue Top CR1500R	CB,CR,RR-GNJ	105	104	49	6,9*		
* AgVenture/Spangler AV7729	CB,LL-KD	110	109	99	7*	* Carharts Blue Top CR1857R	CB,RR-GJ	90	89	33	10*,12		
AgVenture/Spangler L3349A	CB,LL-KD	87	87	98	10	* Carharts Blue Top CR1889R	CR,RR-NJ	90	86	35	10*,12		
AgVenture/Spangler R3143V	CR,RR-NK	88	86	55	10	* Carharts Blue Top CR1995R	CB,RR-GJ	95	96	35	8*,11		
* AgVenture/Spangler R5677V	CB,CR,RR-GNJ	99	99	114	8*	Carharts Blue Top CR840RR	RR-J	85	87	33	10,12		
* AgVenture/Spangler R5862V	CB,CR,RR-GNJ	100	98	114	8*	Carharts Blue Top CX1956B	CB-G	95	96	33	8,11		
AgVenture/Spangler R5906H	CB,CR,RR-LPJ	102	103	98	9	* Carharts Blue Top CX2103A		100	101	23	6,8*		
AgVenture/Spangler R6518V	CB,CR,RR-GQJ	106	108	103	7	Cornelius C327YG	CB-G	103	102	99	6		
AgVenture/Spangler R7323V	CB,LL-KD	107	109	55	7	* Cornelius C382YG	CB-G	104	102	104	99		
AgVenture/Spangler RL7613	CB,CR-LP	109	110	99	7	Cornelius C403RRPL	CB,CR,RR-GNJ	105	104	108	99		
AgriGold A6201VT3	CB,CR,RR-GQJ	96	96	99	8	* Cornelius C447RWRR	CR,RR-NJ	105	103	99	6*		
* AgriGold A6225VT3	CB,CR,RR-GQJ	98	99	99	6,8*	Cornelius C457		105	102	99	6		
* AgriGold A6275VT3	CB,CR,RR-GQJ	100	98	99	8*	* Cornelius C462		105	103	99	6*		
* AgriGold A6324BtRWRR	CB,CR,RR-GNJ	103	103	99	6,9*	* Cornelius C547RRPL	CB,CR,RR-GNJ	108	109	109	99		
* AgriGold A6325RWRR	CR,RR-NJ	104	103	99	6*,9	Cornelius C587RRYG	CB,RR-GJ	109	109	99	7		
* AgriGold A6394VT3	CB,CR,RR-GQJ	107	107	99	7,9*	* Cornelius C627		111	109	112	99		
AgriGold A6399VT3	CB,CR,RR-GQJ	107	108	99	7	Cornelius ORG24		95	98	3	22		
AgriGold A6464VT3	CB,CR,RR-GQJ	110	109	99	7	Cornelius ORG41		103	101	3	22		
Blue River 30B19		90	94	3	22	* Croplan Genetics 229RRBt	CB,RR-GJ	84	85	98	12*		
Blue River 43B19		99	96	3	22	Croplan Genetics 238RRBt	CB,RR-GJ	85	86	98	10,12		
Blue River 46L96		99		96	17	Croplan Genetics 2727CB	CB,LL-KD	87	87	98	10		
Blue River 48B30		102		104	96	18	Croplan Genetics 2905RB	CB,RR-GJ	89	89	98	10	
* Blue River 51B31		103	100	101	96	15*,22*	* Croplan Genetics 296TS	CB,CR,RR-GNJ	91	92	92	98	
Blue River 58L36		108		110	96	16	* Croplan Genetics 3114Bt	CB-G	92	94	93	98	
* Blue River 66P32		112		112	96	14*	Croplan Genetics 314RB	CB,RR-GJ	92	94	98	11	
Brown 4989RRLfy	Leafy,RR-MJ	100		102	59	18	* Croplan Genetics 355TS	CB,CR,RR-GNJ	95	96	96	98	
Brunner EXP105(RRbCRW)	CB,CR,RR-GQJ	105	104	55	9	9	* Croplan Genetics 364TS	CB,CR,RR-GNJ	97	96	96	98	
* Brunner EXP97(RRbCRW)	CB,CR,RR-GQJ	97	96	55	11*	11*	* Croplan Genetics 3688RB	CB,RR-GJ	97	95	98	11*	
Brunner Exp83(RRbCRW)	CB,CR,RR-GQJ	83	87	55	12	12	* Croplan Genetics 3824TS	CB,CR,RR-GNJ	98	98	98	8*	
Brunner OR1005		100	100	3	22	22	* Croplan Genetics 388RRBt	CB,RR-GJ	99	97	98	8*,11*	
Brunner OR1053		105	102	3	22	22	* Croplan Genetics 421RB	CB,RR-GJ	100	99	98	6,11*	
Brunner OR1076		107	102	3	22	22	Croplan Genetics 4664RB	CB,RR-GJ	102	101	103	98	
Brunner OR9004		90	96	3	22	22	* Croplan Genetics 491TS	CB,CR,RR-GNJ	102	103	104	98	
Brunner OR9406		95	97	3	22	22	* Croplan Genetics 5338TS	CB,CR,RR-GNJ	104	103	98	6*	
* Brunner S4608(RRCRW)	CR,RR-QJ	86	86	55	10,12*	10,12*	* Croplan Genetics 566TS	CB,CR,RR-GNJ	106	106	104	98	
* Brunner S5808(RRbCRW)	CB,CR,RR-GQJ	98	98	55	8*,11*	8*,11*	* Croplan Genetics 591TS	CB,CR,RR-GNJ	107	106	108	98	
* Brunner S6008(RRb)	CB,RR-GJ	100	98	55	11*	11*	* Croplan Genetics 645TS	CB,CR,RR-GNJ	111	109	111	98	
* Brunner S6508(RRbCRW)	CB,CR,RR-GQJ	105	104	55	6,9*	6,9*	* Croplan Genetics 6631TS	CB,CR,RR-GNJ	112	110	112	98	
* Brunner S7108(BtCRW)	CB,CR-GN	111	108	55	7*	7*	* Croplan Genetics 6818RB	CB,RR-GJ	113		113	98	
Brunner YGPL5106(RR)	CB,CR,RR-GQJ	108	107	55	7,21	7,21	Croplan Genetics 6831TS	CB,CR,RR-GNJ	112		112	98	
* Brunner YGPL9507(RRYGPL)	CB,CR,RR-GQJ	97	95	55	11*	11*	* Croplan Genetics 691BtLL	CB,LL-KD	112	111		98	
* Carharts Blue Top CR1100R	CB,RR-GJ	100	99	35	6,8*,11*	6,8*,11*	* Croplan Genetics 751TS	CB,CR,RR-GNJ	115		112	98	
Carharts Blue Top CR1100V	CB,CR,RR-GQJ	100	100	35	6	6	* Croplan Genetics S6100CR	CB,CR-GN	110		109	98	

† Trait-Gene=Code: bmr-bm3=B; IMI:IT=C; LL-T25=D; Bt-CB-Bt176=F,Mon810=G,Bt11=K,TC1507=L; RR-MonGA21=H,Nk603=J; Leafy-Ify1=M; Bt-CR-Mon863=N, DAS591227=P, Mon88017=Q, MIR604=R; Unknown-X.

**Table 2. Companies and hybrids included in the 2007 trials. A star (\*) indicates that the hybrid performed statistically similar to the highest hybrid for yield or performance index (P.I. or MILK2006) in one or more zones.**

Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables	Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables
		Co.	GRM	SRM	Trt.				Co.	GRM	SRM	Trt.	
Crows 1505R	RR-J	88	86		102	12	Dairyland Stealth 7506	CB,CR,RR-GNJ	106	108		29	7
* Crows 1684T	CB,CR,RR-GNJ	92	91		102	11*,12*	Dairyland Stealth 7685	CB,RR-GJ	85	87		29	10,12
* Crows 1723VTRR2	CB,CR,RR-GQJ	95	95		102	11*	* Dairyland Stealth 7789	CB-G	89		92	29	17*,19*
* Crows 1807VT3	CB,CR,RR-GQJ	97	97	96	102	8*,11*,19*,23*,24*	* Dairyland Stealth 8208	CB,CR-LP	108	109		29	7*
* Crows 2121S	CB,RR-GJ	101	103	100	102	6,18*,19,20,21*	* Dairyland Stealth 9196	CB,CR,RR-GQJ	96	94		49	11*
* Crows 4352S	CB,RR-GJ	107	109	101	102	7*,18*,19,20*,21*	Dairyland Stealth 9497	CB,CR,RR-GNJ	98	97		29	8,11
* Crows 4846T	CB,CR,RR-GNJ	110	110	109	102	7,13*,16,20*,21*	Dairyland Stealth 9503	CB,CR,RR-GNJ	105	104		29	9
Dahlco 2147RRBt	CB,RR-GJ	84	87		55	10	* Dairyland Stealth 9799	CB,CR,RR-GQJ	99	97		29	8*
* Dahlco 2482RRBt	CB,RR-GJ	95	96		55	8,11*	* Dekalb DKC33-72(RR2)	RR-J	83	85	89	7	10,12,19*
Dahlco 2505RRBt	CB,RR-GJ	103	98		55	11	Dekalb DKC35-18(RR2)	RR-J	85	86	86	7	10,12,17
* Dahlco 3920RRBt	CB,RR-GJ	93	94		55	11*	* Dekalb DKC38-92(RR2)	RR-J	88	88	94	7	10*,12*,17*,19
Dahlco 4013RRBt	CB,RR-GJ	101	101		55	9	* Dekalb DKC40-08(RR2YGCB)	CB,RR-GJ	90	89	90	55	12,19*
* Dahlco 6100RRRW	CR,RR-NJ	100	99		55	8*	* Dekalb DKC41-57(VT3)	CB,CR,RR-GQJ	91	94	94	55	11*,17*,19*
Dahlco X6002RRBt	CB,RR-GJ	100	101		55	11	* Dekalb DKC42-95(RR2YGCB)	CB,RR-GJ	92	94	94	7	11*,17*,19*
Dahlco X6944RRBt	CB,RR-GJ	94	96		55	11	* Dekalb DKC43-31(RR2YGCB)	CB,RR-GJ	93	95	93	7	8,11*,17*,19*
* Dahlman D4356	CB,LL,RR-KDH	86	86		60	10,12*	* Dekalb DKC45-82(RR2)	RR-J	95	96	97	7	11*,17*
* Dahlman D4462	CB,LL,RR-KDH	88	87		49	10,12*	* Dekalb DKC46-60(VT3)	CB,CR,RR-GQJ	96	96	96	7	8*,11*,17*,19*
Dahlman D4522	CB,LL-KD	88	87		49	10	* Dekalb DKC49-35(RR2)	RR-J	99	97	94	7	8*,17*,19*
Dahlman D4523		90	87		49	10	* Dekalb DKC50-48(RR2YGCB)	CB,RR-GJ	101	102	103	7	6,9,15*,18*,23*
Dahlman D4631LLCB	CB,LL-KD	92	94		60	11	* Dekalb DKC52-40(RR2YGPL)	CB,CR,RR-GNJ	102	100		7	6,9*,23*
Dahlman R4023	RR-J	81	87		60	12	* Dekalb DKC52-63(RR2YGCB)	CB,RR-GJ	102	102	101	7	6,9*,15*,18*
* Dahlman R45S15	CB,RR-GJ	90	88		15	10*	Dekalb DKC57-47(RR2)	RR-J	107	107		7	7
Dahlman R4807CB	CB,RR-GJ	95	96		15	11	* Dekalb DKC57-79(RR2YGPL)	CB,CR,RR-GNJ	107	107	108	7	7*,13*,16*,20*,24*
Dahlman R4815CB	CB,RR-GJ	95	96		15	11	Dekalb DKC60-18(RR2YGPL)	CB,CR,RR-GNJ	110	108		7	7
* Dahlman R4942CB	CB,RR-GJ	98	99		15	11*	* Dekalb DKC61-66(RR2YGPL)	CB,CR,RR-GNJ	111	109	112	7	7*,14*,20*
Dairyland HiDF3002		102		104	29	18	* Dyna Gro 51P33	CB,RR-GJ	84	86		59	12*
* Dairyland HiDF3005-7	CB,RR-GJ	105		103	29	15*	Dyna Gro 52P81	CB,RR-GJ	88	87		59	10,12
* Dairyland HiDF3007		107		110	29	16*	Dyna Gro 53P87	CB,RR-GJ	95	95		59	11
* Dairyland HiDF3008-4	CR,RR-GZ	108		109	29	13*	* Dyna Gro 54P55	CB,RR-GJ	98	96		59	8*,11
Dairyland HiDF3010-6	RR-J	110		109	29	13	* Dyna Gro 54T42	CB,RR-LJ	99		98	59	17*
* Dairyland HiDF3012-6	RR-J	112		113	29	14*	Dyna Gro 55B49	CB,CR,RR-GNJ	105	104		59	6,9
* Dairyland HiDF3085-6	RR-J	85		89	29	19*	Dyna Gro 55F43	CB-G	104	103	103	59	6,9,18
Dairyland HiDF3098		98		97	29	17	* Dyna Gro 55V18	CB,CR,RR-GQJ	98	99		59	8*,11*
Dairyland Stealth 1489		89	88		29	10	Dyna Gro 56B15	CB,CR,RR-GNJ	109	107		59	7
* Dairyland Stealth 1600		100	97		29	8*	Dyna Gro 57F06	CB-G	112		110	59	16
* Dairyland Stealth 4006	CR,RR-NJ	106	107		10	7*	* Dyna Gro 57F37	CB-G	114		110	59	16*
Dairyland Stealth 5194	CB-G	94	95		29	11	Dyna Gro 57V43	CB,CR,RR-GQJ	112	110		59	7
Dairyland Stealth 6003	RR-J	103	101		29	6,9	* Dyna Gro CX07305	CB,CR-LP	105	105		59	6*,9*
Dairyland Stealth 7184	CB,RR-GJ	84	87		29	10,12	Farm Advantage 86X06	CB,CR-LP	106	108		43	7
Dairyland Stealth 7191	CB,RR-GJ	91	95		29	11	* Farm Advantage 87X00	CB,CR-LP	100	103		43	6*
* Dairyland Stealth 7196	CB,RR-GJ	96	96		29	8*,11*	* Farm Advantage 87X04	CB,CR-LP	104	105		43	6*
Dairyland Stealth 7201	CB,RR-GJ	101	103		29	9	Fielders Choice 4206ND	ND-	106		106	7	13,15,18
* Dairyland Stealth 7204	CB,RR-LJ	104	103		29	9*							

† Trait-Gene=Code: **bmr**-bm3=B; **IMI**:IT=C; **LL**-T25=D; **Bt-CB**-Bt176=F, Mon810=G, Bt11=K, TC1507=L; **RR**-MonGA21=H, Nk603=J; **Leafy**-lfy1=M; **Bt-CR**-Mon863=N, DAS591227=P, Mon88017=Q, MIR604=R; **Unknown**-X.

**Table 2. Companies and hybrids included in the 2007 trials. A star (\*) indicates that the hybrid performed statistically similar to the highest hybrid for yield or performance index (P.I. or MILK2006) in one or more zones.**

Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables	Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables
		Co.	GRM	SRM	Trt.				Co.	GRM	SRM	Trt.	
* Fielders Choice 7435WPR	CB,CR,RR-GNJ	95	96		7	8*,11*	Great Lakes 5362G3	CB,CR,RR-GNJ	103	103		55	9
* Fielders Choice 7470S	CB,RR-GJ	97	95		7	8,11*	Great Lakes 5416RWRR	CR,RR-NJ	104	104		55	9
* Fielders Choice 7510S	CB,RR-GJ	98	98		7	8*,11*	* Growmark E4704HXT	CB,CR,LL-LPD	102	103		20	9*
* Fielders Choice 7550HR	CB,RR-LJ	100	100		7	8*	* Growmark E4709VT3	CB,CR,RR-GQJ	105	104	104	20	9*,15*
* Fielders Choice 7580WPR	CB,CR,RR-GNJ	102		103	7	13*,15*,18*	Growmark E5703HXT	CB,CR,LL-LPD	107	109		20	7
* Fielders Choice NG6580		102	102		7	6*	* Growmark E6703VT3	CB,CR,RR-GQJ	112		112	20	14*
* Fielders Choice NG6685	CB,RR-GJ	107	107	105	7	7,13,16,18*	* Growmark FS3327RRYGCB	CB,RR-GJ	93	94	95	20	11*,17*
Fielders Choice NG6718	RR-J	108	107		7	7	Growmark FS4187RRYGPlus	CB,CR,RR-GNJ	101	103		20	9
Foundation Direct 8643(O)		102	101		3	22	* Growmark FS47S33	CB,CR,RR-GNJ	97	96	96	20	11*,17*
Foundation Direct 8653(O)		102	101		3	22	* Growmark FS5558RRYGPL	CB,CR,RR-GNJ	107	108	110	20	7*,16*
Foundation Direct 8797(O)		96	96		3	22	Growmark FS60J32	CR,RR-NJ	110	108	108	20	7,13
Garst 8581YPLRR	CB,CR,RR-GNJ	108	107		37	7	* Growmark FS6299VT3	CB,CR,RR-GQJ	110	109	109	20	7,13*
* Garst 8590GT	RR-H	100		101	37	15,18*	Growmark FS6428YGPL	CB,CR-GN	111	108	109	20	7,14
Garst 8677GT	RR-H	105	103		37	6	* Heartland Hybrids 4204NDR	RR-J	104		105	7	13,15,18*
* Garst 8688GT	RR-H	104	104	104	37	9*,15*,18*	* Heartland Hybrids HTL200R	RR-J	105		105	7	13*,15*,18*
Garst 8745YG1RR	CB,RR-GJ	101	103		37	9	* Heartland Hybrids NG6490	CB,CR,RR-GNJ	97	95		7	8*,11*
* Garst 8792CBLL	CB,LL-KD	99	98		37	8*	* Heartland Hybrids NG6510	CB,CR,RR-GNJ	98	96		7	8*,11*
* Garst 8866RR	RR-J	90		95	37	17*	* Heartland Hybrids NG6686	CB,CR,RR-GNJ	107	108	105	7	7,13*,16,18*
Garst 8921YG1RR	CB,RR-GJ	92	95		37	11	Heartland Hybrids NG6719	CB,RR-GJ	109	106		7	7
Garst 8980YG1	CB-G	84	87		37	10	Heartland Hybrids NG6745	CB,CR,RR-GNJ	110	109		7	7
Garst 8982RR	RR-H	84	85		37	12	* Heartland Hybrids STR91-9	CB,CR,RR-GNJ	95	96		7	8*,11*
* Gold Country 100-04CBR	CB,RR-GJ	100		103	55	15*	Hughes 3235CB	CB-G	102	100		68	6
* Gold Country 100-07CBR	CB,RR-GJ	100	97		55	8*,11*	Hughes 3407	CB,LL-LD	102	103		95	6
Gold Country 100SLSRR	Leafy,RR-MJ	110		109	55	13	* Hughes 4592	CR,RR-NJ	105	104		95	6*
* Gold Country 102-04CBR	CB,RR-GJ	102	104		55	9*	Hughes 5627R+	CB,CR,RR-GNJ	107	108		98	7
Gold Country 106-02CBR	CB,RR-GJ	106	107		55	7	Hughes 6951R+	CB,CR,RR-GNJ	110	111		98	7
Gold Country 10701CBRCRW	CB,CR,RR-GNJ	107	108		55	7	Jeske JS636		95	98		1	11
Gold Country 9003		90		92	55	17	* Johnson Seeds 2195YGV3	CB,CR,RR-GQJ	92	95		55	11*
* Gold Country 9503CBR	CB,RR-GJ	95	96		55	11*	* Johnson Seeds 4196YGV3	CB,CR,RR-GQJ	96	95		55	11*
* Gold Country 9608CBR	CB,RR-GJ	96	97		55	8*,11*	* Johnson Seeds 4198YGV3	CB,CR,RR-GQJ	98	98		55	11*
* Gold Country 96SLSRR	Leafy,RR-MJ	96		95	55	15,17*	Johnson Seeds 4242RRBt	CB,RR-GJ	83	86		54	12
* Gold Country 9810VT3	CB,CR,RR-GQJ	98	97		55	8*,11*	* Johnson Seeds 4707YGV3	CB,CR,RR-GQJ	100	97		55	11*
* Golden Harvest H7506HxLL	CB,LL-LD	100	98		102	8*	Johnson Seeds 4827Bt	CB-G	81	88		54	12
* Golden Harvest H7625HxLL	CB,LL-LD	101	103		102	9*	* Johnson Seeds 4855Hx	CB-LD	85	89		54	10,12*
Golden Harvest L7H08BtRW	CB,CR-GN	96	95		102	11	Johnson Seeds 4977Bt/LL	CB,LL-KD	97	97		54	11
Great Lakes 3663G3	CB,CR,RR-GQJ	86	87		55	10	Johnson Seeds 4990Bt/LL	CB,LL-KD	87	86		54	10,12
* Great Lakes 3730RWRR	CR,RR-NJ	87	87		55	10*	* Johnson Seeds 7104GT	RR-H	104	103		54	9,11*
Great Lakes 4041		90	88		55	10	Johnson Seeds 7792Bt	CB,LL-KD	92	94		54	11
* Great Lakes 4297G3	CB,CR,RR-GNJ	92	94		55	11*	* Johnson Seeds 7892Bt	CB,LL-KD	92	91		54	11,12*
* Great Lakes 4415G3VT3	CB,CR,RR-GNJ	94	95		55	11*	* Johnson Seeds 7986Bt	CB-G	86	86		54	12*
Great Lakes 4569G3	CB,CR,RR-GNJ	94	97		55	8	Johnson Seeds 7995Bt	CB-G	95	95		54	11
* Great Lakes 4689G3VT3	CB,CR,RR-GQJ	97	97		55	8*	* Jung 3327RR	RR-J	90	88		35	10*

† Trait-Gene=Code: **bmr**-bm3=B; **IMI**:IT=C; **LL**-T25=D; **Bt-CB**-Bt176=F, Mon810=G, Bt11=K, TC1507=L; **RR**-MonGA21=H, Nk603=J; **Leafy**-lfy1=M; **Bt-CR**-Mon863=N, DAS591227=P, Mon88017=Q, MIR604=R; **Unknown**-X.

**Table 2. Companies and hybrids included in the 2007 trials. A star (\*) indicates that the hybrid performed statistically similar to the highest hybrid for yield or performance index (P.I. or MILK2006) in one or more zones.**

Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables	Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables
		Co.	GRM	SRM	Trt.				Co.	GRM	SRM	Trt.	
Jung 4171RRYGCB	CB,RR-GJ	81	85	95	12	* Kruger K2002RR/YGCB	CB,RR-GJ	102	103	37	6*,9*		
* Jung 4183RRYGCB	CB,RR-GJ	84	86	35	12*	Kruger K2087RR/YGCB	CB,RR-GJ	87	87	37	10		
* Jung 4215RRYGCB	CB,RR-GJ	86	86	95	10,12*	Kruger K2090RR/YGCB	CB,RR-GJ	90	87	37	10		
* Jung 4362RRYGCB	CB,RR-GJ	95	97	55	8*,11*	* Kruger K2097RR/YGCB	CB,RR-GJ	97	97	37	8*,11*		
Jung 7306RRYGRW	CR,RR-NJ	88	87	35	10,12	* Kruger K2212RRYGCB	CB,RR-GJ	112	112	37	7*		
* Jung 7344VT3	CB,CR,RR-GQJ	91	95	35	8*,11*	* Kruger K2298RR/YGCB	CB,RR-GJ	98	98	37	8*,11*		
* Jung 7426VT3	CB,CR,RR-GQJ	95	97	95	8*	* Kruger K2401RRYGCB	CB,RR-GJ	101	103	37	6*,9,20,21*,23*,24*		
Jung 7432VT3	CB,CR,RR-GQJ	95	96	95	8	* Kruger K2499RRYGCB	CB,RR-GJ	99	97	37	8*,11*		
Jung 7454VT3	CB,CR,RR-GQJ	97	99	95	6,8	Kruger K2506RRYGCB	CB,RR-GJ	106	106	37	7,9		
* Jung 7482VT3	CB,CR,RR-GQJ	100	99	55	6,8*	* Kruger K2697RRYGCB	CB,RR-GJ	97	96	37	8*,11*		
Jung 7514VT3	CB,CR,RR-GQJ	102	103	55	6,9	Kruger K3308RRHX	CB,LL,RR-LJ	108	110	37	7		
* Jung 7595VT3	CB,CR,RR-GQJ	105	104	55	6*,9	* Kruger K4411RRYGRW	CR,RR-NJ	111	109	37	7,20*,21*		
* Jung 7600VT3	CB,CR,RR-GQJ	108	109	55	7*	* Kruger K5010YGCB	CB-G	110	110	37	7*		
Kaltenberg K2405RRBt	CB,RR-GJ	83	86	7	12	* Kruger K5504YGCB	CB-G	104	103	37	6,9*		
Kaltenberg K2562RR	RR-J	81	88	7	12	* Kruger K6006VT3	CB,CR,RR-GQJ	106	106	37	7,9*,20*,21*		
* Kaltenberg K3038LLBt11	CB,LL-KD	87	87	98	10,12*	* Kruger K6007VT3	CB,CR,RR-GQJ	107	106	37	7,20*,21*		
* Kaltenberg K3843RRPlus	CB,CR,RR-GQJ	95	97	7	8*,11*	* Kruger K6011TS	CB,CR,RR-GNJ	111	109	37	7,20*,21*		
Kaltenberg K3919RRBt	CB,RR-GJ	92	95	7	11	* Kruger K6107VT3	CB,CR,RR-GQJ	108	106	37	7,20*,21*		
* Kaltenberg K4013VT3	CB,CR,RR-GQJ	94	96	7	8*,11*,23*	Kruger K6111VT3	CB,CR,RR-GQJ	111	109	37	7		
* Kaltenberg K4433VT3	CB,CR,RR-GQJ	100	98	7	8,11*	* Kruger K6208VT3	CB,CR,RR-GQJ	108	109	37	7*,20*,21*		
* Kaltenberg K4482RR	RR-J	100		99	7	* Kruger K6210TS	CB,CR,RR-GNJ	110	110	37	7,20*,21*		
* Kaltenberg K4521RRHXT	CB,CR,RR-LPJ	100	100	7	8*	* Kruger K6400TS	CB,CR,RR-GNJ	100	100	37	6,8*,20*,21*,23*,24*		
* Kaltenberg K4663VT3	CB,CR,RR-GQJ	96	96	7	8,11*,23*	Kruger K6405TS	CB,CR,RR-GNJ	105	103	37	6		
* Kaltenberg K5228LLBt11	CB,LL-KD	103	104	98	9*	* Kruger K6412VT3	CB,CR,RR-GQJ	112	111	37	7,20,21*		
* Kaltenberg K5823RRPlus	CB,CR,RR-GQJ	106	107	7	7,20*	* Kruger K6499VT3	CB,CR,RR-GQJ	99	98	37	6*,8*,11*,23*,24*		
Kaltenberg K5938LLBt11	CB,LL-KD	107	108	7	7	Kruger K6503TS	CB,CR,RR-GNJ	103	102	37	6,9		
Kaltenberg K6255RRLLBtHX	CB,LL,RR-LDJ	108	110	7	7	Kruger K6607TS	CB,CR,RR-GNJ	107	108	37	7		
Kaltenberg K6573RRPlus	CB,CR,RR-GNJ	106	107	7	7	* Kruger K6697TS	CB,CR,RR-GNJ	97	95	37	8*,11*,23*,24		
Kaltenberg K6702RRLLBtHX	CB,LL,RR-LDX	108	107	7	7,20	* Kruger K6701TS	CB,CR,RR-GNJ	101	102	37	6,9*		
* Kaltenberg K8099LFRR	Leafy,RR-MJ	99		96	7	* Kruger K8199HX	CB,LL-LD	99	99	37	8*		
* Kaltenberg K8105LFRR	Leafy,RR-MJ	105		105	7	Kruger K8502HX	CB,LL-LD	102	103	37	6,9		
Kaltenberg K8112LFRR	Leafy,RR-MJ	112		111	7	Kruger K9010HXT	CB,CR,LL-LPZ	110	106	37	7		
Kaltenberg K8116LFRR	Leafy,RR-MJ	112		113	7	Kruger K9106HXT	CB,CR,LL-LPD	106	105	37	7,9		
Kruger K0612		112	109	37	7	Kruger K9203RRYGCB	CB,RR-GJ	103	102	37	6,9		
* Kruger K1008VT3	CB,CR,RR-GQJ	107	107	37	7,20,21*	Kruger K9310TS	CB,CR,RR-GNJ	110	109	37	7		
Kruger K1082RR	RR-J	82	87	37	10	* Kruger K9392TS	CB,CR,RR-GNJ	92	95	37	8,11,23*,24		
Kruger K1090RR	RR-J	86	86	37	10	Kruger K9496TS	CB,CR,RR-GNJ	96	95	37	8,11		
* Kruger K1195RR	RR-J	95	95	37	8*,11	Kruger K9496YGCB	CB-G	96	93	37	11		
* Kruger K1490RR	RR-J	90	88	37	10*	* Kruger K9502HXT	CB,CR,LL-LPD	102	106	37	9*		
* Kruger K1500RR	RR-J	100	98	37	6,8,11,23*	Kruger K9504HXT	CB,CR,LL-LPD	102	103	37	6		
Kruger K1584RR	RR-J	84	87	37	10	* Kussmaul K500		100	98	14	8*		
* Kruger K1603RR	RR-J	103	103	37	6,9*	Kussmaul K600		100	99	14	8		
* Kruger K1606RR	RR-J	106	105	37	7,9,20*,21*	* Kussmaul KL-85	CB,LL-KD	85	86	14	12*		

† Trait-Gene=Code: **bmr**-bm3=B; **IMI**:IT=C; **LL**-T25=D; **Bt-CB**-Bt176=F,Mon810=G,Bt11=K,TC1507=L; **RR**-MonGA21=H,Nk603=J; **Leafy**-lfy1=M; **Bt-CR**-Mon863=N, DAS591227=P, Mon88017=Q, MIR604=R; **Unknown**-X.

**Table 2. Companies and hybrids included in the 2007 trials. A star (\*) indicates that the hybrid performed statistically similar to the highest hybrid for yield or performance index (P.I. or MILK2006) in one or more zones.**

Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables	Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables
		Co.	GRM	SRM	Trt.				Co.	GRM	SRM	Trt.	
Kussmaul KL-90	CB,LL-KD	90	87		14	10	* Midwest Genetics 69203T	CB,CR,RR-GNJ	92	91		102	11*,12
Kussmaul SB2983RRYGPlus	CB,CR,RR-GNJ	83	87		52	12	* Midwest Genetics 69574VTR	CB,CR,RR-GQJ	95	95		102	11*
* Kussmaul SB590RRYGPlus	CB,CR,RR-GNJ	90	89		52	10*	* Midwest Genetics 69704VT3	CB,CR,RR-GQJ	97	97	96	102	8*,11*,19*,23*,24*
* Kussmaul SB605RRYGPlus	CB,CR,RR-GNJ	105	104		52	6*	* Midwest Genetics 70503S	CB,RR-GJ	101	103	100	102	6,18*,19*,20,21*
* Kussmaul SB702RRYGPlus	CB,CR,RR-GNJ	102	103	107	52	6*,13	* Midwest Genetics 76483S	CB,RR-GJ	107	109	101	102	7*,18*,19*,20*,21*
Kussmaul SB788RRYGPlus	CB,CR,RR-GNJ	88	88		52	10	* Midwest Genetics 77125T	CB,CR,RR-GNJ	110	111	109	102	7*,13*,16*,20*,21*
Kussmaul SB795RRYGPlus	CB,CR,RR-GNJ	95	96		52	8	Mycogen 2A517	CB,LL-LD	101	102		98	6,9
* Kussmaul SB797YGRRPlus	CB,CR,RR-GNJ	97	98		52	8*	* Mycogen 2C597	CB,LL,RR-LDJ	107	108		98	7*
* LG Seeds LG2362RWRR	CR,RR-NJ	85	87		46	10*	* Mycogen 2D326	CB,CR,RR-GNJ	92	91		98	11*,12*
* LG Seeds LG2475BtRR	CB,RR-GJ	96	95		59	11*	Mycogen 2D551	CB,LL,RR-LDJ	103	103		98	6
* LG Seeds LG2477VT3	CB,CR,RR-GQJ	100	99		59	8*	Mycogen 2D675	CB,LL,RR-LDJ	109	109		98	7
* LG Seeds LG2496BtRR	CB,RR-GJ	100	98		59	8*	Mycogen 2J272	CB,RR-GJ	88	87		98	10,12
LG Seeds LG2514BtRR	CB,RR-GJ	103	103		59	9	* Mycogen 2J527	CB,LL-LD	103	103		98	6,9*
LG Seeds LG2532RWRR	CR,RR-NJ	106	107		59	7	Mycogen 2J665		109	109		98	7
* LG Seeds LG2545BtRR	CB,RR-GJ	104	105		59	6*	Mycogen 2K154	CB,LL,RR-LDJ	83	86		98	10,12
* Legacy Seeds L2020RRBt	CB,RR-GJ	85	86		2	10*,12	* Mycogen 2P174	CB,RR-GJ	85	87		98	10*,12
* Legacy Seeds L2927RRBt	CB,RR-GJ	92	94	93	2	11*,17*	* Mycogen 2P483	CB,CR,RR-GNJ	97	95		98	8*,11*
* Legacy Seeds L3295RRBt	CB,RR-GJ	96	96	96	54	8*,11*,17*	* Mycogen 2R428	CB,CR,RR-GNJ	96	96		98	8,11*
* Legacy Seeds L3333RRBtCRW	CB,CR,RR-GNJ	95	95	95	7	8*,11*,17*	* Mycogen F2F444	BMR-B	102		104	98	18*
* Legacy Seeds L3950RRBtCRW	CB,CR,RR-GNJ	100	99		7	6,8*	* Mycogen F2F485	BMR-B	98		99	98	17*,19*
Legacy Seeds L3987	Leafy-M	105		102	54	18	* Mycogen F2F566	BMR-B	105		105	98	15*,18
* Legacy Seeds L4987	Leafy-M	110		109	54	16*	* Mycogen F2F610	BMR-B	108		108	98	16*,18
* Legacy Seeds L5950RRBtCRW	CB,CR,RR-GNJ	107	106	109	7	7,9,16*	* Mycogen F2F631	BMR-B	110		110	98	13*,16*
Legend Seeds LR104RRN+	RR-J	104		105	7	18	* Mycogen F2F699	BMR,CB,LL-BLD	113		112	98	14,16*
* Legend Seeds LR9396RB	CB,RR-GJ	96	94	95	7	11*,17*	* Mycogen F2F721	BMR-B	113		114	98	14*
Legend Seeds LR9483RRYG+	CB,CR,RR-GNJ	83	87		7	10	Mycogen F2F797	BMR-B	115		114	98	14
* Legend Seeds LR9501RB	CB,RR-GJ	101		103	7	18*	* Mycogen TMF2L416	CB,RR,LL-LJD	93		95	98	17*,19*
Legend Seeds LR9584RB	CB,RR-GJ	84	88		7	10	* Mycogen TMF2N422	RR-J	95		93	98	17*
Legend Seeds LR9594RB	CB,RR-GJ	94	95		7	11	* Mycogen TMF2Q716	CB,CR,LL,RR-LPDJ	110		110	98	13*,16*
* Legend Seeds LR9703RRYG+	CB,CR,RR-GNJ	103		103	7	18*	* Mycogen TMF2Q731	CB,LL-LD	113		114	98	14*
* Legend Seeds LR9798RRYG+	CB,CR,RR-GNJ	98	99		7	11*	* Mycogen TMF2Q753	CB,RR,LL-LJD	113		113	98	14*
* Legend Seeds LR9887RRCR	CR,RR-NJ	87	87		7	10*	* Mycogen TMF2T497		100		102	98	15*
Lemke 3081Bt	CB-G	90	88		57	10	NK Brand N16-M1	CB,LL-KD	82	84		37	12
Lemke 4011Bt	CB-G	95	95		57	11	NK Brand N22-C2	CB,LL,RR-KDH	87	88		37	12
* Lemke 4097RRPlus	CB,CR,RR-GQJ	97	95		98	8*,11*	* NK Brand N23-F7	CB,LL-KD	88	87		37	12*
* Lemke 5077RRPlus	CB,CR,RR-GQJ	100	98		57	8*	* NK Brand N25-N4	CB,LL-KD	87	87		37	10,12*
* Lemke 6061Bt	CB-G	105	103		57	9*	* NK Brand N27-B5	CB,LL-KD	90	87		37	10,12*
* Lemke 7068Bt	CB-G	112		109	2	16*	NK Brand N29-A2	CB,CR,LL-KRZ	92	93		37	11
Lemke EX3071BtL	CB,LL-KD	90	88		57	10	* NK Brand N33-H6	Leafy-M	101		100	37	18,19*
Masters Choice MC-490		92	97	97	8	8,15	* NK Brand N33-J4	CB,LL-KD	94	95	97	37	11,19*
* Masters Choice MC-530		105	104	106	8	6,13*	* NK Brand N36-T3	CB,LL-KD	99	98	96	37	8*,11,17
Midwest Genetics 68801R	RR-J	88	86		102	12	NK Brand N45-A6	CB,LL-KD	101	102		37	9

† Trait-Gene=Code: **bmr**-bm3=B; **IMI**:IT=C; **LL**-T25=D; **Bt-CB**-Bt176=F,Mon810=G,Bt11=K,TC1507=L; **RR**-MonGA21=H,Nk603=J; **Leafy**-lfy1=M; **Bt-CR**-Mon863=N, DAS591227=P, Mon88017=Q, MIR604=R; **Unknown**-X.

**Table 2. Companies and hybrids included in the 2007 trials. A star (\*) indicates that the hybrid performed statistically similar to the highest hybrid for yield or performance index (P.I. or MILK2006) in one or more zones.**

Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables	Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables
		Co.	GRM	SRM	Trt.				Co.	GRM	SRM	Trt.	
* NK Brand N49-E3	Leafy-M	106		105	37	15*	* NuTech 3T-393AVT3	CB,CR,RR-GQJ	90	89		59	10*
* NK Brand N51-T8	CB,LL-KD	104	103		37	6,9*	* NuTech 3T-393VT3	CB,CR,RR-GQJ	93	95		59	11*
* NK Brand N53-W3	RR-H	105	103	103	37	6*,9*,15*	NuTech 3T-595VT3	CB,CR,RR-GQJ	93	95		59	11
* NK Brand N60-G5	CB,LL-KD	103	104	105	37	6*,9,15	* NuTech 3T-799VT3	CB,CR,RR-GQJ	99	98		59	6,11*
* NK Brand N64-Z5	CB,LL-KD	109	108		37	7*	NuTech 3T-808AVT3	CB,CR,RR-GQJ	107	110		59	7
* NK Brand N67-W5	CB,LL-KD	109	108	106	37	7,13*	* NuTech 3T-808VT3	CB,CR,RR-GQJ	105	107		59	6*
* NK Brand N82-A7	CB,CR,LL-KRD	118		113	37	14*	* NuTech 3T-995VT3	CB,CR,RR-GQJ	90	89		59	10*
Nokomis Orange		103	102		3	22	* NuTech 3W-099ARRYGRW	CR,RR-NJ	100	99		59	6,11*
NuTech 0A-900		100	101		98	6	* NuTech 3W-099RRYGRW	CR,RR-NJ	99	99		59	6,11*
NuTech 0A-900A		99	98		98	11	NuTech 3W-313 RRYGRW	CR,RR-NJ	113	111		59	7
NuTech 0C-098YGCB	CB-G	95	98		59	6,11	NuTech 3W-484 RRYGRW	CR,RR-NJ	83	87		59	10
* NuTech 0C-413YGCB	CB-G	113		111	59	14*	NuTech 5H-201 RR/HX	CB,LL,RR-LDJ	100	102		98	6,11
NuTech 0C-595YGCB	CB-G	94	95		98	11	* NuTech X88RRLFY	Leafy,RR-MJ	85		93	59	19*
NuTech 0C-596YGCB	CB-G	95	96		98	11	* OBrien OB1008HXT	CB,CR,LL-LPD	100	103		60	8*
NuTech 1B-103CBLL	CB,LL-KD	103	102		98	6	* OBrien OB1088CBLL	CB,LL-KD	107	107		48	7,9*
NuTech 1B-186CBLL	CB,LL-KD	85	87		98	10	OBrien OB1113YGCB	CB-G	110	109	109	40	7,13
NuTech 1B-293CBLL	CB,LL-KD	92	95		98	11	* OBrien OB966		96	97	100	38	8,15*
NuTech 1B-411CBLL	CB,LL-KD	109	109		98	7	OBrien OB987CBLL	CB,LL-KD	97	96		52	8
NuTech 1B-887CBLL	CB,LL-KD	85	87		98	10	OBrien OBX1038		103	107		40	6
NuTech 1B-893CBLL	CB,LL-KD	93	94		98	11	OSU AR35B/GQN2		105	107		3	22
NuTech 1B-909CBLL	CB,LL-KD	109	110		98	7	OSU F3/CH5M		100	100		3	22
* NuTech 1H-104HX	CB,LL-LD	103	104		98	6*	OSU OP Synthetic		110	112		3	22
* NuTech 1H-402HX	CB,LL-LD	100		103	59	15*	* Organic UTC		103	103		3	22*
NuTech 1N-411CBLLRW	CB,CR,LL-LPD	111	109		98	7	* Organic UTC-Hand Weed		103	102		3	22*
NuTech 1X-402HXT	CB,CR,LL-LPD	100	103		98	6	* Pilgrim 1040GT	RR-H	104	102		15	6*
NuTech 1X-606HXTRR	CB,CR,LL,RR-LPDJ	105	106		59	6	* Pioneer 33A88	CB,LL,RR-LDJ	115		113	114	14,16*
* NuTech 3A-093RR	RR-J	90	89		59	10*	* Pioneer 33T56		108	109	108	65	7,13*
* NuTech 3A-110RRLFY	Leafy,RR-MJ	115		113	59	14*	* Pioneer 33T59	CB,CR,LL-PLD	109		110	114	13,16*
NuTech 3A-391RR	RR-J	90	88		59	10	* Pioneer 34A89	CB,CR,LL,RR-LPDJ	108		107	114	13,16*,18*
NuTech 3C-303RRYGCB	CB,RR-GJ	103	102		59	6	* Pioneer 34R67	CB,LL,RR-LDJ	109	109		115	7*
* NuTech 3C-393RRYGCB	CB,RR-GJ	93	95		98	11*	* Pioneer 35A30		104	103		65	9*,20*,21*,23*,24*
NuTech 3C-409RRYGCB	CB,RR-GJ	108	109		59	7	* Pioneer 35A34	CB,CR,LL,RR-LPDJ	105	105	104	114	6*,9,15*,18*
* NuTech 3P-191RRYGPL	CB,CR,RR-GNJ	90		94	98	17*,19*	* Pioneer 35F40	CB,LL,RR-LDJ	105	104	104	114	6*,9*,15*,18*
* NuTech 3P-302RRYGPL	CB,CR,RR-GQJ	100	104	104	59	6,15*	* Pioneer 35Y67	CB,LL-LD	106		107	65	15*
* NuTech 3P-494RRYGPL	CB,CR,RR-GNJ	93	96		59	11*	Pioneer 36B08		103	102		65	6
NuTech 3P-603RRYGPL	CB,CR,RR-GQJ	103	101		98	6	* Pioneer 36V75	CB,LL,RR-LDJ	104	104		115	6*,9*
* NuTech 3T-006VT3	CB,CR,RR-GQJ	105	104		59	6*	* Pioneer 37A92	CB-G	97		92	65	19*
* NuTech 3T-098AVT3	CB,CR,RR-GQJ	98	97		59	6,11*	* Pioneer 37Y14	CB,CR,LL,RR-LPDJ	98	98		114	8*,11*
* NuTech 3T-098VT3	CB,CR,RR-GQJ	95	97	95	59	6,11*,17*	* Pioneer 38B87	CB,CR,LL,RR-LPDJ	98	96	92	114	11*,17*,19*
NuTech 3T-099VT3	CB,CR,RR-GQJ	99	101		59	6	* Pioneer 38F35	CB,CR,LL,RR-LPDJ	96	94		114	11*
NuTech 3T-213AVT3	CB,CR,RR-GQJ	113	110		59	7	* Pioneer 38K47	CB,LL,RR-LDJ	94		90	115	19*
NuTech 3T-310AVT3	CB,CR,RR-GQJ	109	110		59	7	* Pioneer 38M58	CB,LL,RR-LDJ	94	87		115	12*
* NuTech 3T-310VT3	CB,CR,RR-GQJ	111	110	113	59	7,14*							

† Trait-Gene=Code: **bmr**-bm3=B; **IMI**:IT=C; **LL**-T25=D; **Bt-CB**-Bt176=F,Mon810=G,Bt11=K,TC1507=L; **RR**-MonGA21=H,Nk603=J; **Leafy**-lfy1=M; **Bt-CR**-Mon863=N, DAS591227=P, Mon88017=Q, MIR604=R; **Unknown**-X.

**Table 2. Companies and hybrids included in the 2007 trials. A star (\*) indicates that the hybrid performed statistically similar to the highest hybrid for yield or performance index (P.I. or MILK2006) in one or more zones.**

Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables	Brand - Hybrid	Traits – Genes †	Relative Maturity Seed				Tables
		Co.	GRM	SRM	Trt.				Co.	GRM	SRM	Trt.	
* Pioneer 38N87	CB,LL,RR-LDJ	93	90	91	115	11*,12,17*,19*	* Renk RK888RRYGPL	CB,CR,RR-GNJ	113		112	49	14*
Pioneer 38W22	CB,LL-LD	92	91		54	11	Spangler RX217	RR-J	89	88		98	10
* Pioneer 39D85	CB,LL,RR-LDJ	87	87	87	115	12,19*	* Trelay 4N629	CB,RR-GJ	97	97		57	8*
Prairie Hybrids 0336		96	98		3	22	* Trelay 4T722	CB,CR,RR-GQJ	97	97		57	8*,11*
Prairie Hybrids 0371		92	97		3	22	* Trelay 5K429	CB,CR,RR-GNJ	101	104		57	9*
* Prairie Hybrids 3081		100	103		3	22*	* Trelay 5N751	CB,CR,RR-GQJ	95	98		103	8*
* Renk RK264LLYGCB	CB,LL-KD	85	86	89	49	10,12*,19*	* Trelay 6T226	CB,CR,RR-GQJ	106	108	100	57	7,15*
* Renk RK268RRYGRW	CR,RR-NJ	85	86	89	49	10,12*,19*	* Trelay 7K456	CB,CR,RR-GNJ	110		109	57	13*
Renk RK288YGCB	CB-G	85	85		49	12	* Trelay 7K941	CB,CR,RR-GNJ	109		109	57	13*
* Renk RK438RRYGPL	CB,CR,RR-GNJ	93	95		49	11*	Trelay 8K339	CB,CR,RR-GNJ	113	107		57	7
* Renk RK438YGCB	CB-G	93	89	94	49	12*,19*	* UW EX27		112		112	1	14*
* Renk RK442LLYGCB	CB,LL-KD	94	93	96	49	11,12,19*	* UW EX31		110		109	1	16*
Renk RK488YGCB	CB-G	96	94		49	11	* UW EX34		110		109	1	16*
* Renk RK570VT3	CB,CR,RR-GQJ	96	95	96	49	8,11*,17*	UW EX35		110		109	1	13
* Renk RK618VT3	CB,CR,RR-GQJ	100	98	103	49	8*,11*,18*	* Viking O.5305		103	101		3	22*
* Renk RK644HXTRA	CB,CR,LL-LPD	106	105	104	49	7,9,15*	* Viking O.5740		104	100		3	22*
Renk RK662YGCBNDS	CB-G	105		103	49	15	Viking O.6800		97	96		3	22
* Renk RK669		105	101	104	49	11,13*,15*	* Wolf River Valley 2490RRB	CB,RR-GJ	90	88		15	10*
Renk RK670VT3	CB,CR,RR-GQJ	103	102		49	6,9	Wyffels W1941	CB,CR,RR-GQJ	97	103		7	6
* Renk RK7-692LLYGCB	CB,LL-	108	105	107	49	7,9*,16	Wyffels W2739	CB,CR-GN	102	102		7	6
Renk RK703RRYGRWNDS	CR,RR-NJ	110		108	49	13	* Wyffels W5641	RR-J	109	108		7	7*
Renk RK772RRYGPL	CB,CR,RR-GNJ	103	100		49	6	Wyffels W6455	CB,LL-LD	109	109		7	7
* Renk RK829VT3	CB,CR,RR-GQJ	112	109	112	49	7*,14*	Wyffels W6521	CB,CR,RR-GNJ	110	109		7	7
* Renk RK852LLYGCB	CB,LL-KD	110	109	110	49	7,13,16*							
Renk RK866YGPLNDS	CB,CR-GN	112		112	49	14							

**Table 3. List of seed treatments used on hybrids entered in the 2007 UW corn trials.**

Seed Trt. Common Name	Seed Trt. Common Name	Seed Trt. Common Name
1 Captan	35 Allegiance+Captan+Lorsban+Poncho250	59 Poncho250+Trilex
2 Maxim	37 ApronXL+Cruiser+Dynasty+MaximXL	60 Actellic+MaximXL+Poncho1250+Trilex
3 Untreated	38 Actellic+ApronXL+Cruiser+Dynasty+MaximXL	65 ApronXL+MaximXL
7 Poncho250	40 Actellic+ApronFL+Cruiser+MaximXL	68 ApronXL+Lorsban+Maxim
8 Poncho1250	43 Cruiser+MaximXL	95 Captan+Poncho250
10 Actellic+Allegiance+Captan	46 Lorsban+MaximXL+Poncho250	96 Natural II
14 Actellic+ApronXL+Maxim	48 Actellic+Cruiser+MaximXL	98 CruiserExtreme250
15 Actellic+MaximXL	49 Actellic+MaximXL+Poncho250	99 MaximXL+Poncho250+Trilex
20 ApronFL+Maxim+Poncho250+Trilex	52 Actellic+ApronXL+Maxim+Poncho250	102 Cruiser250
23 Allegiance+Captan	54 ApronXL+Maxim	103 Actellic+Maxim+Poncho250+Trilex
29 Actellic+Allegiance+Captan+Poncho250	55 ApronXL+Maxim+Poncho250	114 ApronXL+Dynasty+MaximXL+Poncho250
33 Allegiance+Captan+Poncho250	57 Maxim+Poncho250	115 ApronXL+Dynasty+MaximXL+Poncho1250

† Trait-Gene=Code: **bmr**-bm3=B; **IMI**:IT=C; **LL**-T25=D; **Bt-CB**-Bt176=F, Mon810=G, Bt11=K, TC1507=L; **RR**-MonGA21=H, Nk603=J; **Leafy**-lfy1=M; **Bt-CR**-Mon863=N, DAS591227=P, Mon88017=Q, MIR604=R; **Unknown**-X.