

**Table 21. South Central Zone - Conventional Grain Trial.**

(FOND DU LAC = FON, GALESVILLE = GAL, HANCOCK = HAN)

		2010							
Brand	Hybrid	Average					Yield (bu/A)		
		Yield (bu/A)	P.I. #	Moist %	Test Wt.	Lodge %	FON	GAL	HAN
O'Brien	OB940	178	98	17.1	55	1	178	177	179
<b>95-DAY HYBRID TRIAL AVERAGE##</b>		<b>17.5</b>							
Kussmaul	K993	190	101	17.6	55	1	185	192	* 194
NuTech	0A-693	168	95	17.6	55	1	183	149	170
Kussmaul	K795	180	98	17.7	56	1	172	197	171
Cornelius	C341	* 215	* 107	18.7	56	1	* 202	* 237	* 206
CB Seeds	5404	194	101	18.8	55	1	190	212	181
Cornelius	C282	* 199	* 102	19.0	55	4	* 201	* 213	182
Kussmaul	K700	176	96	19.6	56	0	183	184	159
<b>100-DAY HYBRID TRIAL AVERAGE##</b>		<b>19.7</b>							
O'Brien	OB980	190	99	20.0	55	2	190	204	175
Kussmaul	K300AA	192	100	20.1	54	0	* 201	204	171
Kussmaul	K500	185	98	20.6	55	2	* 201	173	180
O'Brien	OB1001	166	93	20.6	55	1	191	180	126
Cornelius	C462	* 201	* 102	20.8	54	1	* 199	* 218	* 187
Pioneer	35F38	* 212	* 105	21.2	56	1	* 215	* 218	* 203
Cornelius	C591	* 206	* 103	21.7	56	1	* 205	* 234	180
MEAN		190	100	19.4	55	1	193	199	178
LSD(0.10)**		19	5	1.3	1	2	17	24	23

## Average grain moisture of all hybrids in the trial as rated by the participating company maturity rating systems. Ratings are rounded to 5 day increments.

\* Hybrids that performed statistically similar to the highest hybrid in the trial.

Shaded results provide the best estimate of relative hybrid performance.