

# Estimating the Value of Wet Ear Corn

## A Suggested Starting Point

Gerald R. Campbell

---

Farmers who feed livestock sometimes buy and sell wet ear corn by the ton. Unfortunately, it's rare to find price information which quotes corn prices in dollars per ton of wet ear corn. But they usually have ready access to the current per-bushel price for dry shelled corn. These shelled corn prices—usually based on corn of 56 pounds per bushel and 15.5 percent moisture—provide a base for estimating the price of wet ear corn per ton.

The procedure suggested here is based on the following logic: an alternative market for wet ear corn is to shell it, dry it and sell it as dry shelled corn. In this case, the value of the ear corn would be what you sell it for, minus what you spent to shell and dry it. To estimate the receipts from selling the corn shelled, you must first estimate how many bushels of dry shelled corn you'll get from a ton of wet ear corn; then you can multiply that by the dry corn price. Then you can estimate what it cost to dry and shell a ton of wet corn and subtract those costs from your receipts. This gives you an estimate of alternative market value for the corn.

In practice it's a little more complicated. To convert tons of wet ear corn to bushels of dry shelled corn, you must consider the corn variety,

kernel moisture, cob moisture, moisture of the dry corn and shrinkage in drying. Past attempts to make these conversions have yielded the information in Tables 1 and 2. Table 1 estimates the receipts from the dry corn in one ton of wet ear corn at various combinations of wet corn kernel moisture levels and dry corn prices. Table 2 makes the conversion from one ton of ear corn at various kernel moisture levels to number of bushels of dry corn. By combining the information in Table 2 with any dry corn price, you can estimate the receipts per ton.

You can use the information from Tables 1 and 2 along with drying and shelling costs from your area. In essence the value in Table 1 minus drying cost per ton and minus shelling costs per ton gives the estimated value per ton. Shelling costs vary widely in the state; estimates in the range \$0.20 to \$0.30 per hundred pounds of ear corn are common. Drying costs also vary widely. Estimates in the range of \$0.02 to \$0.04 per bushel of grain per point of moisture removed seem reasonable.

The work sheet below gives an example and room for you to work out your own estimate using your own price of dry corn, shelling cost, and drying cost information.

**TABLE 1: VALUE OF ONE TON OF WET EAR CORN (shelling and drying costs excluded)**

Moisture (%)	Price of 15.5% moisture corn per bushel								
	\$1.00	\$1.10	\$1.20	\$1.30	\$1.40	\$1.50	\$1.60	\$1.70	\$1.80
15.5	29.22	32.14	35.06	37.99	40.91	43.83	46.75	49.67	52.60
16.0	28.96	31.85	34.75	37.64	40.54	43.44	46.33	49.23	52.12
16.5	28.70	31.57	34.44	37.31	40.18	43.05	45.92	48.79	51.66
17.0	28.44	31.29	34.13	36.98	39.82	42.66	45.51	48.35	51.20
17.5	28.19	31.01	33.83	36.65	39.47	42.29	45.11	47.93	50.74
18.0	27.94	30.74	33.53	36.33	39.12	41.92	44.71	47.50	50.30
18.5	27.70	30.47	33.24	36.01	38.78	41.55	44.32	47.09	49.86
19.0	27.46	30.20	32.95	35.69	38.44	41.19	43.93	46.68	49.42
19.5	27.22	29.94	32.66	35.38	38.11	40.83	43.55	46.27	48.99
20.0	26.98	29.68	32.38	35.08	37.78	40.47	43.17	45.87	48.57
20.5	26.75	29.42	32.10	34.77	37.45	40.12	42.80	45.47	48.15
21.0	26.52	29.17	31.82	34.47	37.12	39.78	42.43	45.08	47.73
21.5	26.29	28.92	31.55	34.18	36.80	39.43	42.06	44.69	47.32
22.0	26.06	28.67	31.28	33.88	36.49	39.09	41.70	44.31	46.91
22.5	25.84	28.42	31.01	33.59	36.17	38.76	41.34	43.93	46.51
23.0	25.62	28.18	30.74	33.30	35.86	38.42	40.99	43.55	46.11
23.5	25.40	27.94	30.48	33.02	35.55	38.09	40.63	43.17	45.71
24.0	25.18	27.70	30.21	32.73	35.25	37.77	40.28	42.80	45.32
24.5	24.96	27.46	29.95	32.45	34.95	37.44	39.94	42.43	44.93
25.0	24.75	27.22	29.70	32.17	34.65	37.12	39.60	42.07	44.54
25.5	24.53	26.99	29.44	31.89	34.35	36.80	39.25	41.71	44.16
26.0	24.32	26.75	29.19	31.62	34.05	36.48	38.92	41.35	43.78
26.5	24.11	26.52	28.94	31.35	33.76	36.17	38.58	40.99	43.40
27.0	23.90	26.30	28.69	31.08	33.47	35.86	38.25	40.64	43.03
27.5	23.70	26.07	28.44	30.81	33.18	35.55	37.92	40.29	42.66
28.0	23.49	25.84	28.19	30.54	32.89	35.24	37.59	39.94	42.29
28.5	23.29	25.62	27.95	30.28	32.60	34.93	37.26	39.59	41.92
29.0	23.09	25.39	27.70	30.01	32.32	34.63	36.94	39.25	41.55
29.5	22.88	25.17	27.46	29.75	32.04	34.33	36.62	38.90	41.19
30.0	22.68	24.95	27.22	29.49	31.76	34.03	36.29	38.56	40.83
30.5	22.49	24.73	26.98	29.23	31.48	33.73	35.98	38.22	40.47
31.0	22.29	24.52	26.74	28.97	31.20	33.43	35.66	37.89	40.12
31.5	22.09	24.30	26.51	28.72	30.93	33.14	35.35	37.55	39.76
32.0	21.90	24.08	26.27	28.46	30.65	32.84	35.03	37.22	39.41
32.5	21.70	23.87	26.04	28.21	30.38	32.55	34.72	36.89	39.06
33.0	21.51	23.66	25.81	27.96	30.11	32.26	34.41	36.56	38.71
33.5	21.31	23.45	25.58	27.71	29.84	31.97	34.10	36.23	38.37
34.0	21.12	23.24	25.35	27.46	29.57	31.68	33.80	35.91	38.02
34.5	20.93	23.03	25.12	27.21	29.31	31.40	33.49	35.58	37.68
35.0	20.74	22.82	24.89	26.97	29.04	31.11	33.19	35.26	37.34

Assumes a market moisture of 15.5 percent.

**TABLE 1. VALUE OF ONE TON OF WET EAR CORN (continued)**

Moisture %	Price of 15.5% moisture corn per bushel									
	\$1.90	\$2.00	\$2.10	\$2.20	\$2.30	\$2.40	\$2.50	\$2.60	\$2.70	\$2.80
15.5	55.52	58.44	61.36	64.28	67.21	70.13	73.05	75.97	78.89	81.81
16.0	55.02	57.91	60.81	63.70	66.60	69.50	72.39	75.29	78.18	81.08
16.5	54.53	57.40	60.27	63.14	66.01	68.88	71.74	74.61	77.48	80.35
17.0	54.04	56.89	59.73	62.57	65.42	68.26	71.11	73.95	76.80	79.64
17.5	53.56	56.38	59.20	62.02	64.84	67.66	70.48	73.30	76.12	78.94
18.0	53.09	55.89	58.68	61.48	64.27	67.06	69.86	72.65	75.45	78.24
18.5	52.63	55.40	58.17	60.94	63.71	66.48	69.25	72.02	74.79	77.56
19.0	52.17	54.91	57.66	60.41	63.15	65.90	68.64	71.39	74.13	76.88
19.5	51.71	54.44	57.16	59.88	62.60	65.32	68.05	70.77	73.49	76.21
20.0	51.27	53.96	56.66	59.36	62.06	64.76	67.46	70.15	72.85	75.55
20.5	50.82	53.50	56.17	58.85	61.52	64.20	66.87	69.55	72.22	74.90
21.0	50.38	53.04	55.69	58.34	60.99	63.64	66.29	68.95	71.60	74.25
21.5	49.95	52.58	55.21	57.84	60.46	63.09	65.72	68.35	70.98	73.61
22.0	49.52	52.13	54.73	57.34	59.94	62.55	65.16	67.76	70.37	72.98
22.5	49.09	51.68	54.26	56.84	59.43	62.01	64.60	67.18	69.76	72.35
23.0	48.67	51.23	53.79	56.36	58.92	61.48	64.04	66.60	69.16	71.73
23.5	48.25	50.79	53.33	55.87	58.41	60.95	63.49	66.03	68.57	71.11
24.0	47.84	50.36	52.87	55.39	57.91	60.43	62.94	65.46	67.98	70.50
24.5	47.43	49.92	52.42	54.92	57.41	59.91	62.40	64.90	67.40	69.89
25.0	47.02	49.49	51.97	54.44	56.92	59.39	61.87	64.34	66.82	69.29
25.5	46.61	49.07	51.52	53.97	56.43	58.88	61.33	63.79	66.24	68.70
26.0	46.21	48.65	51.08	53.51	55.94	58.37	60.81	63.24	65.67	68.10
26.5	45.81	48.23	50.64	53.05	55.46	57.87	60.28	62.69	65.10	67.52
27.0	45.42	47.81	50.20	52.59	54.98	57.37	59.76	62.15	64.54	66.93
27.5	45.03	47.40	49.77	52.14	54.51	56.87	59.24	61.61	63.98	66.35
28.0	44.64	46.99	49.33	51.68	54.03	56.38	58.73	61.08	63.43	65.78
28.5	44.25	46.58	48.91	51.23	53.56	55.89	58.22	60.55	62.88	65.21
29.0	43.86	46.17	48.48	50.79	53.10	55.41	57.71	60.02	62.33	64.64
29.5	43.48	45.77	48.06	50.35	52.63	54.92	57.21	59.50	61.79	64.08
30.0	43.10	45.37	47.64	49.91	52.17	54.44	56.71	58.98	61.25	63.52
30.5	42.72	44.97	47.22	49.47	51.72	53.96	56.21	58.46	60.71	62.96
31.0	42.35	44.57	46.80	49.03	51.26	53.49	55.72	57.95	60.18	62.40
31.5	41.97	44.18	46.39	48.60	50.81	53.02	55.23	57.44	59.64	61.85
32.0	41.60	43.79	45.98	48.17	50.36	52.55	54.74	56.93	59.12	61.31
32.5	41.23	43.40	45.57	47.74	49.91	52.08	54.25	56.42	58.59	60.76
33.0	40.86	43.01	45.16	47.32	49.47	51.62	53.77	55.92	58.07	60.22
33.5	40.50	42.63	44.76	46.89	49.02	51.15	53.29	55.42	57.55	59.68
34.0	40.13	42.25	44.36	46.47	48.58	50.69	52.81	54.92	57.03	59.14
34.5	39.77	41.86	43.96	46.05	48.14	50.24	52.33	54.42	56.52	58.61
35.0	39.41	41.49	43.56	45.63	47.71	49.78	51.86	53.93	56.00	58.08

Assumes a market moisture of 15,5 percent

**TABLE 2. BUSHEL OF 15.5% MOISTURE SHELLED CORN IN ONE TON OF WET EAR CORN AT VARIOUS WET CORN KERNEL MOISTURE LEVELS**

Wet Kernel Moisture %	Bushels Dry Shelled Corn	Wet Kernel Moisture %	Bushels Dry Shelled Corn
15.5	29.220	25.5	24.534
16.0	28.957	26.0	24.323
16.5	28.698	26.5	24.113
17.0	28.443	27.0	23.905
17.5	28.192	27.5	23.698
18.0	27.944	28.0	23.493
18.5	27.699	28.5	23.289
19.0	27.457	29.0	23.086
19.5	27.218	29.5	22.884
20.0	26.982	30.0	22.684
20.5	26.749	30.5	22.485
21.0	26.518	31.0	22.287
21.5	26.289	31.5	22.091
22.0	26.063	32.0	21.895
22.5	25.838	32.5	21.701
23.0	25.616	33.0	21.507
23.5	25.396	33.5	21.314
24.0	25.178	34.0	21.123
24.5	24.962	34.5	20.932
25.0	24.747	35.0	20.743

Conversion based on an equation estimated by John Schmidt, Dept. of Agr. Econ. University of Wisconsin-Madison. The conversion formula was based on actual shell out data provided by seed companies. If you want to make the conversion yourself you will need an electronic calculator capable of dealing with exponents. The formula is as follows:

1. Estimate pounds of wet kernels in one ton of wet ear corn

$$\frac{1}{\% \text{ moisture}^{0.096723}} \times 2143.737 = \text{Pounds of wet kernels per ton}$$

2. Estimate number of dry bushels per ton using the standard shrinkage formula including an allowance of 0.5 shrinkage for dry matter loss in  
 $((\% \text{ moisture}) - (\% \text{ moisture dry}) + 0.5 \text{ dry matter loss}) = \text{percent shrink}$   
 $((100 - \text{percent shrink})/100) \times \text{pounds of wet kernels} = \text{pounds of dry kernels}$   
 $(\text{pounds of dry kernels})/56 = \text{bushels of dry corn}$

3. Multiply this times the dry corn price to get receipts per ton and then adjust for shelling and drying cost.

For example, suppose you have wet ear corn with 38 percent moisture and your local elevator quotes prices for dry corn on the basis of 14 moisture.

Pounds of wet kernels in one ton of 38% moisture ear corn is estimated as

$$\frac{1}{38^{0.096723}} \times 2143.737 = \frac{1}{1.42} \times 2143.737 = 1509.67$$

Calculating Shrinkage

$$((38\% - (14\%)) + 0.5\%) = 24.5\%$$

Apply Shrinkage to wet kernels

$$((100\% - 24.5\%)/100) \times 1509.67 \text{ pounds} = 1139.80 \text{ pounds}$$

Adjusting for 56 pounds per dry bushel

$$(1139.80 \text{ pounds})/56 \text{ pounds per bu.} = 20.35 \text{ bu. at 14\% moisture}$$

4. Then multiply times the dry corn price and subtract shelling and drying cost to get the estimate of value per wet ton.

**1. ESTIMATE VALUE OF RECEIPTS IF CORN IS SOLD AS DRY SHELLLED CORN**

	<b>EXAMPLE</b>	<b>YOUR FIGURE</b>
A. Find kernel moisture	26.0%	_____
B. Find dry corn price	\$ 2.15/bu.	_____
C. Estimate receipts using table 1	\$52.29/ton	_____

**2. ESTIMATE SHELLING AND DRYING COSTS PER TON**

D. Estimate shelling costs/ton (\$0.25/100 lb.) X (2000 lb.) =	\$ 5.00/ton	_____
E. Estimate drying costs @ \$0.30/bu./point Points = 26.0%—15.5% =	11.5%	_____
bu./ton from table 2 =	24.323 bu.	_____
Cost/ton = \$0.03/bu./pt. x 11.5 pt. x 24.323 bu./ton =	\$ 8.39/ton	_____

**3. SUBTRACT SHELLING AND DRYING COSTS**

**4. ESTIMATED VALUE PER TON OF WET EAR CORN**

\$52.29 - \$5.00 - \$8.39 =	\$38.90/ton	_____
-----------------------------	-------------	-------

*This derived value is a starting point for entering the market. Local market conditions may well produce values above or below your estimate.*

---

<sup>1</sup>This procedure can be used for pricing dry ear corn by simply ignoring the drying costs

Additional information related to this topic can be found in:

Milner, Ross, How to Determine Shrinkage in Grain, Cooperative Extension Service, The Ohio State University, Columbus, Ohio, Bulletin 425, 9/62

Murphy, William J., Tables of Weights and Measurements of Crops, University of Missouri, Department of Agronomy, Columbia, Missouri, Agronomy Guide, 7/81/10M

---

**WEX** University of Wisconsin-Extension, Cooperative Extension Service, in cooperation with the U.S. Department of Agriculture and Wisconsin counties, publishes this information to further the purpose of the May 8 and June 30, 1914 Acts of Congress; and provides equal opportunities in employment and programming including Title IX requirements.

*Gerald R. Campbell is Professor of Agricultural Economics and Extension Grain Marketing Specialist with the Wisconsin Cooperative Extension Service at the University of Wisconsin at Madison. This paper benefitted from the comments of Brian Holmes, Robert Luening, Scott Hendrickson, John Biese and Leo Martin.*

*Produced by the Department of Agricultural Journalism, University of Wisconsin-Madison.*

This publication is available from your Wisconsin county Extension office or from:  
Agricultural Bulletin, Rm. 245  
30 N. Murray St.  
Madison, Wisconsin 53715  
Phone 608-262-3346

Editors, before publicizing, contact Agricultural Bulletin to determine availability.

**A3410 Estimating the Value of Wet Ear Corn—A Suggested Starting Point (1987)**